INDEX TO AUTHORS

ALBRINK, W. S. See HARRISON, BUNTING, ORDWAY, and ALBRINK, 339

BEESON, PAUL B. Tolerance to bacterial pyrogens. I. Factors influencing its development, 29

—. II. Rôle of the reticulo-endothelial system, 39

BERNHEIMER, ALAN W., and CANTONI, G. L. The toxic action of preparations containing the oxygen-labile hemolysin of *Streptococcus pyogenes*. III. Induction in mice of temporary resistance to the lethal effect of the toxin, 193

BERRY, GEORGE PACKER. See SYVERTON and BERRY, 131, 145

BLATTNER, RUSSELL J. See SMITH, BLATTNER, and HEYS, 229

BLOOM, FRANK. See OLIVER, BLOOM, and MANGIERI, 107

—. See PAFF, BLOOM, and REILLY, 117

BUNTING, H. See HARRISON, BUNTING, ORDWAY, and ALBRINK, 339

CANTONI, G. L. See BERNHEIMER and CANTONI, 193

CHASE, MERRILL W. Studies on the sensitization of animals with simple chemical compounds. X. Antibodies inducing immediate-type skin reactions, 489

DAVIS, BERNARD D., and DUBOS, RENÉ J. The binding of fatty acids by serum albumin, a protective growth factor in bacteriological media, 215

DRINKER, CECIL K., and HARDENBERGH, ESTHER. Absorption from the pulmonary alveoli, 7

DUBOS, RENÉ J. See DAVIS and DUBOS, 215

—. See MIDDLEBROOK, DUBOS, and PIERCE, 175

—. See PIERCE, DUBOS, and MIDDLEBROOK, 159

—. See VOLKERT, PIERCE, HORSFALL, and DUBOS, 203

FARR, LEE E., HILLER, ALMA, and VAN SLYKE, DONALD D. Preparation of dried hemoglobin without loss of activity, 465

—. See HAMILTON, FARR, HILLER, and VAN SLYKE, 455

FREUND, JULES. See TREFFERS, HEIDELBERGER, and FREUND, 83, 95

FRIEDEWALD, WILLIAM F., MILLER, EDWARD S., and WHATLEY, L. ROSS. The nature of non-specific inhibition of virus hemagglutination, 65

GORDON, IRVING, INGRAHAM, HOLLIS S., and KORNS, ROBERT F. Transmission of epidemic gastroenteritis to human volunteers by oral administration of fecal filtrates, 409

GREEN, R. H., and WOOLLEY, D. W. Inhibition by certain polysaccharides of hemagglutination and of multiplication of influenza virus, 55

HAMILTON, PAUL B., FARR, LEE E., HILLER, ALMA, and VAN SLYKE, DONALD D. Preparation of hemoglobin solutions for intravenous infusion, 455

—, HILLER, ALMA, and VAN SLYKE, DONALD D. Renal effects of hemoglobin infusions in dogs in hemorrhagic shock, 477

HAMRE, DOROTHY, RAKE, HELEN, and RAKE, GEOFFREY. Morphological and other characteristics of the agent of feline pneumonitis grown in the allantoic cavity of the chick embryo, 1

HARDENBERGH, ESTHER. See DRINKER and HARDENBERGH, 7

HARRISON, H. E., BUNTING, H., ORDWAY, N. K., and ALBRINK, W. S. The pathogenesis of the renal injury produced in the dog by hemoglobin or methemoglobin, 339

HAWN, CLINTON VAN ZANDT, and PORTER, KEITH R. The fine structure of clots formed from purified bovine fibrinogen and thrombin: a study with the electron microscope, 285

HECHTER, OSCAR, and SCULLY, ELLA L. Studies on spreading factors. II. The effect of serum upon hyaluronidase spreading activity, 19

HEIDELBERGER, MICHAEL. Antiproteins in horse sera. II. Antibodies to pneumococcus nucleoprotein and their reaction with antigen, 77

—. See TREFFERS, HEIDELBERGER, and FREUND, 83, 95

HENLE, GERTRUDE. See HENLE, HENLE, and ROSENBERG, 423

HENLE, WERNER, HENLE, GERTRUDE, and ROSENBERG, EVELYN B. The demonstration of one-step growth curves of influenza viruses through the blocking effect of irradiated virus on further infection, 423

HEYS, FLORENCE M. See SMITH, BLATTNER, and HEYS, 229

HILLER, ALMA. See FARR, HILLER, and VAN SLYKE, 465

—. See HAMILTON, FARR, HILLER, and VAN SLYKE, 455

—. See HAMILTON, HILLER, and VAN SLYKE, 477

HIRST, GEORGE K. Comparisons of influenza virus strains from three epidemics, 367

HIRST, GEORGE K. Studies on the mechanism of adaptation of influenza virus to mice, 357

HORSFALL, FRANK L., JR. See VOLKERT and HORSFALL, 383, 393

—. See VOLKERT, PIERCE, HORSFALL, and DUBOS, 203

HORSTMANN, DOROTHY M., MELNICK, JOSEPH L., WARD, ROBERT, and SÁ FLEITAS, M. JOSÉ. The susceptibility of infant *rhesus* monkeys to poliomyelitis virus administered by mouth. A study of the distribution of virus in the tissues of orally infected animals, 309

HURST, JANE G. See WIENER, HURST, and SONN-GORDON, 267

INGRAHAM, HOLLIS S. See GORDON, INGRAHAM, and KORNS, 409

KNIGHT, C. A. Amino acid composition of highly purified viral particles of influenza A and B, 125

KORNS, ROBERT F. See GORDON, INGRAHAM, and KORNS, 409

KRAUSS, MARJORIE R. See MACLEOD and KRAUSS, 439

KUNKEL, HENRY G., and WARD, SYLVIA M. Plasma esterase activity in patients with liver disease and the nephrotic syndrome, 325

LALICH, JOSEPH J. The influence of injections of homologous hemoglobin on the kidneys of normal and dehydrated animals, 153

LEWIS, LENA A., and PAGE, IRVINE H. Changes in the plasma protein pattern (Tiselius electrophoretic technique) of patients with hypertension and dogs with experimental renal hypertension, 185

MACLEOD, COLIN M., and KRAUSS, MARJORIE R. Stepwise intratype transformation of

pneumococcus from R to S by way of a variant intermediate in capsular polysaccharide production, 439

MANGIERI, CARMEN. See OLIVER, BLOOM, and MANGIERI, 107

McMASTER, PHILIP D. The relative pressures within cutaneous lymphatic capillaries and the tissues, 293

MELNICK, JOSEPH L. See HORSTMANN, MELNICK, WARD, and SÁ FLEITAS, 309

MIDDLEBROOK, GARDNER, DUBOS, RENÉ J., and PIERCE, CYNTHIA. Virulence and morphological characteristics of mammalian tubercle bacilli, 175

—. See PIERCE, DUBOS, and MIDDLEBROOK, 159

MILLER, EDWARD S. See FRIEDEWALD, MILLER, and WHATLEY, 65

OLIVER, JEAN, BLOOM, FRANK, and MANGIERI, CARMEN. On the origin of heparin. An examination of the heparin content and the specific cytoplasmic particles of neoplastic mast cells, 107

OPIE, EUGENE L. Cytochondria of normal cells, of tumor cells, and of cells with various injuries, 45

ORDWAY, N. K. See HARRISON, BUNTING, ORDWAY, and ALBRINK, 339

PAFF, GEORGE H., BLOOM, FRANK, and REILLY, CHRISTOPHER. The morphology and behavior of neoplastic mast cells cultivated *in vitro*, 117

PAGE, IRVINE H. See LEWIS and PAGE, 185

PIERCE, CYNTHIA, DUBOS, RENÉ J., and MIDDLEBROOK, GARDNER. Infection of mice with mammalian tubercle bacilli grown in Tween-albumin liquid medium, 159

PIERCE, CYNTHIA. See MIDDLEBROOK, DUBOS, and PIERCE, 175

—. See VOLKERT, PIERCE, HORSFALL, and DUBOS, 203

PLAZIN, JOHN. See FARR, HILLER, and VAN SLYKE, 465

PORTER, KEITH R. See HAWN and PORTER, 285

RAKE, GEOFFREY. See HAMRE, RAKE, and RAKE, 1

RAKE, HELEN. See HAMRE, RAKE, and RAKE, 1

REILLY, CHRISTOPHER. See PAFF, BLOOM, and REILLY, 117

ROBERTS, ELIZABETH. See BEESON, 29, 39

ROSENBERG, EVELYN B. See HENLE, HENLE, and ROSENBERG, 423

SÁ FLEITAS, M. JOSÉ. See HORSTMANN, MELNICK, WARD, and SÁ FLEITAS, 309

SALE, LLEWELLYN, JR., SMITH, MARY RUTH, and WOOD, W. BARRY, JR. Studies on the mechanism of recovery in pneumonia due to Friedländer's bacillus. II. The effect of sulfonamide chemotherapy upon the pulmonary lesion of experimental Friedländer's bacillus pneumonia, 249

— and WOOD, W. BARRY, JR. Studies on the mechanism of recovery in pneumonia due to Friedländer's bacillus. I. The pathogenesis of experimental Friedländer's bacillus pneumonia, 239

SCULLY, ELLA L. See HECHTER and SCULLY, 19

SMITH, MARGARET G., BLATTNER, RUSSELL J., and HEYS, FLORENCE M. St. Louis encephalitis. Transmission of virus to chickens by infected mites *Dermanyssus gallinae* and resulting viremia as source of virus for infection of mites, 229

SMITH, MARY RUTH, and WOOD, W. BARRY, JR. Studies on the mechanism of recovery in pneumonia due to Friedländer's bacillus. III. The rôle of "surface phagocytosis" in the destruction of the microorganisms in the lung, 257

—. See SALE, SMITH, and WOOD, 249

SONN-GORDON, EVE B. See WIENER, HURST, and SONN-GORDON, 267

SYVERTON, JEROME T., and BERRY, GEORGE PACKER. Multiple virus infection of single host cells, 145

— and —. The superinfection of the rabbit papilloma (Shope) by extraneous viruses, 131

TREFFERS, HENRY P., HEIDELBERGER, MICHAEL, and FREUND, JULES. Antiproteins in horse sera. III. Antibodies to rabbit serum albumin and their reaction with antigen, 83

—, —, and —. IV. Antibodies to rabbit serum globulin and their interaction with antigen, 95

VAN SLYKE, DONALD D. See FARR, HILLER, and VAN SLYKE, 465

—. See HAMILTON, FARR, HILLER, and VAN SLYKE, 455

—. See HAMILTON, HILLER, and VAN SLYKE, 477

VOLKERT, MOGENS, and HORSFALL, FRANK L., JR. The effect of sulfhydryl groups on pneumonia virus of mice (PVM), 383

— and —. Studies on a lung tissue component which combines with pneumonia virus of mice (PVM), 393

—, PIERCE, CYNTHIA, HORSFALL, FRANK L., JR., and DUBOS, RENÉ J. The enhancing effect of concurrent infection with pneumotropic viruses on pulmonary tuberculosis in mice, 203

WARD, ROBERT. See HORSTMANN, MELNICK, WARD, and SÁ FLEITAS, 309

WARD, SYLVIA M. See KUNKEL and WARD, 325

WHATLEY, L. ROSS. See FRIEDEWALD, MILLER, and WHATLEY, 65

WIENER, ALEXANDER S., HURST, JANE G., and SONN-GORDON, EVE B. Studies on the conglutination reaction, with special reference to the nature of conglutinin, 267

WOOD, W. BARRY, JR. See SALE, SMITH, and WOOD, 249

—. See SALE and WOOD, 239

—. See SMITH and WOOD, 257

WOOLLEY, D. W. See GREEN and WOOLLEY, 55

INDEX TO SUBJECTS

ABSORPTION from pulmonary alveoli, 7
Acid, amino, composition, of highly purified viral particles of influenza A and B, 125
Acids, fatty, binding by serum albumin, 215
Albumin, serum, protective growth factor in bacteriological media, binding of fatty acids by, 215
—, serum, rabbit, antibodies to, their reaction with antigen, 83
Albumin-Tween liquid medium, infection of mice with mammalian tubercle bacilli grown in, 159
Allantoic cavity of chick embryo, morphological and other characteristics of feline pneumonitis agent grown in, 1
Alveoli, pulmonary, absorption from, 7
Amino acid composition of highly purified viral particles of influenza A and B, 125
Antibodies resulting from sensitization to chemical compounds, inducing immediate-type skin reactions, 489
— to pneumococcus nucleoprotein and their reaction with antigen, 77
— to rabbit serum albumin and their reaction with antigen, 83
— to rabbit serum globulin, interaction with antigen, 95
Antigen, interaction of antibodies to rabbit serum globulin with, 95
—, reaction of antibodies to pneumococcus nucleoprotein with, 77
—, reaction of antibodies to rabbit serum albumin with, 83
Antiproteins in horse sera, antibodies to pneumococcus nucleoprotein and their reaction with antigen, 77
Antiproteins in horse sera, antibodies to rabbit serum albumin and their reaction with antigen, 83
— in horse sera, antibodies to rabbit serum globulin and their interaction with antigen, 95

BACILLI, tubercle, mammalian, grown in Tween-albumin liquid medium, infection of mice with, 159
—, tubercle, mammalian, virulence and morphological characteristics, 175
Bacillus, Friedländer's, pneumonia, pathogenesis, 239
—, Friedländer's, pneumonia, pulmonary lesion, effect of sulfonamide chemotherapy, 249
—, Friedländer's, pneumonia, rôle of surface phagocytosis in destruction of microorganisms in lung, 257
Bacterial pyrogens, tolerance to, factors influencing development, 29
— pyrogens, tolerance to, rôle of reticulo-endothelial system, 39
Bacteriological media, protective growth factor, serum albumin, binding fatty acids in, 215

CAPILLARIES, lymphatic, cutaneous, and tissues, relative pressures within, 293
Cat pneumonitis, agent grown in allantoic cavity of chick embryo, morphological and other characteristics, 1
Cells, host, single, multiple virus infection, 145

Cells, mast, neoplastic, cultivated *in vitro*, morphology and behavior, 117
—, mast, neoplastic, heparin content and cytoplasmic particles, 107
—, normal, tumor, and injured, cytochondria of, 45
Chemical compounds, sensitization of animals, antibodies inducing immediate-type skin reactions, 489
Chemotherapy, sulfonamide, effect upon pulmonary lesion of Friedländer's bacillus pneumonia, 249
Clots formed from purified bovine fibrinogen and thrombin, fine structure, study with electron microscope, 285
Conglutination reaction, nature of conglutinin, 267
Conglutinin, nature, 267
Cultivation of neoplastic mast cells *in vitro*, morphology and behavior, 117
Cytochondria of normal cells, tumor cells, and cells with injuries, 45
Cytoplasmic particles and heparin content of neoplastic mast cells, 107

DEHYDRATED and normal animals, kidneys, influence of homologous hemoglobin injections, 153
Dermanyssus gallinae, infected, transmission of St. Louis encephalitis virus to chickens by, resulting viremia as source of virus for infection of mites, 229

ELECTRON microscope study of fine structure of clots formed from purified bovine fibrinogen and thrombin, 285
Electrophoretic technique, Tiselius, changes in plasma protein pattern of patients with hypertension and dogs with renal hypertension, 185
Embryo, chick, allantoic cavity, morphological and other characteristics of feline pneumonitis agent grown in, 1
Encephalitis, St. Louis, transmission of virus to chickens by infected mites *Dermanyssus gallinae*, resulting viremia as source of virus for infection of mites, 229
Epidemic gastroenteritis, transmission to human volunteers by oral administration of fecal filtrates, 409
Epidemics, three, comparisons of influenza virus strains from, 367
Esterase, plasma, activity in patients with liver disease and nephrotic syndrome, 325

FATTY acids, binding by serum albumin, 215
Fecal filtrates, transmission of epidemic gastroenteritis to human volunteers by oral administration, 409
Fibrinogen and thrombin, bovine, purified, study of fine structure of clots with electron microscope, 285
Filtrates, fecal, transmission of epidemic gastroenteritis to human volunteers by oral administration, 409
Friedländer's bacillus pneumonia, pathogenesis, 239
— bacillus pneumonia, pulmonary lesion, effect of sulfonamide chemotherapy, 249
— bacillus pneumonia, rôle of surface phagocytosis in destruction of microorganisms in lung, 257

GASTROENTERITIS, epidemic, transmission to human volunteers by oral administration of fecal filtrates, 409
Globulin, serum, rabbit, antibodies to, their interaction with antigen, 95

Growth curves, one-step, of influenza viruses, demonstration through blocking effect of irradiated virus on further infection, 423
— factor, protective, in bacteriological media, serum albumin, binding of fatty acids by, 215

HEMAGGLUTINATION and multiplication of influenza virus inhibited by polysaccharides of, 55
—, virus, non-specific inhibition, 65
Hemoglobin, dried, preparation without loss of activity, 465
—, homologous, injections, influence on kidneys of normal and dehydrated animals, 153
— infusions in hemorrhagic shock, renal effects, 477
—, pathogenesis of renal injury produced by, 339
— solutions, preparation for intravenous infusion, 455
Hemolysin, oxygen-labile, of *Streptococcus pyogenes*, temporary resistance to lethal effect, 193
Hemorrhagic shock, renal effects of hemoglobin infusions, 477
Heparin, origin, examination of content and specific cytoplasmic particles of neoplastic mast cells, 107
Horse sera, antibodies to pneumococcus nucleoprotein and their reaction with antigen, 77
— sera, antibodies to rabbit serum albumin and their reaction with antigen, 83
— sera, antibodies to rabbit serum globulin and their interaction with antigen, 95
Hyaluronidase spreading activity, effect of serum, 19
Hypertension of patients and dogs, changes in plasma protein pattern, Tiselius electrophoretic technique, 185

INFLUENZA A and B, viral particles, highly purified, amino acid composition, 125
— virus, mechanism of adaptation to mice, 357
— virus multiplication, and hemagglutination, inhibition by polysaccharides, 55
— virus strains from three epidemics compared, 367
— viruses, one-step growth curves, demonstration through blocking effect of irradiated virus on further infection, 423
Infusion, intravenous, preparation of hemoglobin solutions for, 455
Infusions, hemoglobin, in hemorrhagic shock, renal effects, 477
Injections of homologous hemoglobin, influence on kidneys of normal and dehydrated animals, 153
Injury, cells with, and tumor cells and normal cells, cytochondria of, 45
—, renal, produced by hemoglobin or methemoglobin, pathogenesis, 339
Irradiated virus, blocking effect on infection, demonstration of one-step growth curves of influenza viruses, 423

KIDNEY, effects of hemoglobin infusions in hemorrhagic shock, 477
—, hypertension, changes in plasma protein pattern of dogs with, Tiselius electrophoretic technique, 185
— injury produced by hemoglobin or methemoglobin, pathogenesis, 339
Kidneys of normal and dehydrated animals, influence of homologous hemoglobin injections, 153

LIQUID medium, Tween-albumin, infection of mice with mammalian tubercle bacilli grown in, 159

Liver disease and nephrotic syndrome, plasma esterase activity in patients with, 325
Lung, pneumonia, rôle of surface phagocytosis in destruction of Friedländer's bacillus in, 257
— tissue component combining with pneumonia virus of mice, 393
Lymphatic capillaries and tissues, cutaneous, relative pressures within, 293

MAMMALIAN tubercle bacilli grown in Tween-albumin liquid medium, infection of mice with, 159
— tubercle bacilli, virulence and morphological characteristics, 175
Man, transmission of epidemic gastroenteritis to volunteers by oral administration of fecal filtrates, 409
Mast cells, neoplastic, cultivated *in vitro*, morphology and behavior, 117
— cells, neoplastic, heparin content and cytoplasmic particles, 107
Media, bacteriological, protective growth factor, serum albumin, binding fatty acids in, 215
Medium, liquid, Tween-albumin, infection of mice with mammalian tubercle bacilli grown in, 159
Methemoglobin, pathogenesis of renal injury produced by, 339
Microorganisms, Friedländer's bacillus pneumonia, rôle of surface phagocytosis in destruction in lung, 257
Microscope, electron, study of fine structure of clots formed from purified bovine fibrinogen and thrombin, 285
Mites, *Dermanyssus gallinae*, infected, transmission of St. Louis encephalitis virus to chickens by, resulting viremia as source of virus for infection of mites, 229
Morphological characteristics and virulence of mammalian tubercle bacilli, 175
— and other characteristics of feline pneumonitis agent grown in allantoic cavity of chick embryo, 1
Morphology and behavior of neoplastic mast cells cultivated *in vitro*, 117
Mouse pneumonia virus, effect of sulfhydryl groups, 383
— pneumonia virus, lung tissue component combining with, 393
Mouth, susceptibility of infant *rhesus* monkeys to poliomyelitis virus administered by, distribution of virus in tissues, 309
—, transmission of epidemic gastroenteritis to human volunteers by administration of fecal filtrates by, 409

NEOPLASTIC mast cells cultivated *in vitro*, morphology and behavior, 117
— mast cells, heparin content and cytoplasmic particles, 107
Nephrotic syndrome and liver disease, plasma esterase activity in patients with, 325
Nucleoprotein, pneumococcus, antibodies to, reaction with antigen, 77

OXYGEN-LABILE hemolysin of *Streptococcus pyogenes*, temporary resistance to lethal effect, 193

PAPILLOMA, rabbit, Shope, superinfection by extraneous viruses, 131
Pathogenesis of Friedländer's bacillus pneumonia, 239
— of renal injury produced by hemoglobin or methemoglobin, 339
Phagocytosis, surface, rôle in destruc-

tion of microorganisms in lung in Friedländer's bacillus pneumonia, 257
Plasma esterase activity in patients with liver disease and nephrotic syndrome, 325
— protein pattern, Tiselius electrophoretic technique, of patients with hypertension and dogs with renal hypertension, changes in, 185
Pneumococcus nucleoprotein, antibodies to, reaction with antigen, 77
—, stepwise intratype transformation from R to S by way of variant intermediate in capsular polysaccharide production, 439
Pneumonia, Friedländer's bacillus, effect of sulfonamide chemotherapy upon pulmonary lesion, 249
—, Friedländer's bacillus, pathogenesis, 239
—, Friedländer's bacillus, rôle of surface phagocytosis in destruction of microorganisms in lung, 257
— virus of mice, effect of sulfhydryl groups, 383
— virus of mice, lung tissue component combining with, 393
Pneumonitis, feline, agent grown in allantoic cavity of chick embryo, morphological and other characteristics, 1
Pneumotropic viruses, concurrent infection, enhancing effect on pulmonary tuberculosis, 203
Poliomyelitis virus administered by mouth, susceptibility of infant *rhesus* monkeys, distribution of virus in tissues, 309
Polysaccharide, capsular, stepwise intratype transformation of pneumococcus from R to S by way of variant intermediate in production of, 439
Polysaccharides, inhibition of hemagglutination and of multiplication of influenza virus by, 55
Protein, plasma, pattern, Tiselius electrophoretic technique, of patients with hypertension and dogs with renal hypertension, changes in, 185
Pulmonary alveoli, absorption from, 7
— lesion of Friedländer's bacillus pneumonia, effect of sulfonamide chemotherapy, 249
— tuberculosis, enhancing effect of concurrent infection with pneumotropic viruses, 203
Pyrogens, bacterial, tolerance to, factors influencing development, 29
—, bacterial, tolerance to, rôle of reticulo-endothelial system, 39

REACTION, conglutination, nature of conglutinin, 267
Reactions, skin, immediate-type, induced by antibodies resulting from sensitization to chemical compounds, 489
Renal. *See* Kidney.
Resistance, temporary, to lethal effect of oxygen-labile hemolysin of *Streptococcus pyogenes*, 193
Reticulo-endothelial system, rôle in tolerance to bacterial pyrogens, 39

ST. LOUIS encephalitis, transmission of virus to chickens by infected mites *Dermanyssus gallinae*, resulting viremia as source of virus for infection of mites, 229
Sensitization of animals with chemical compounds, antibodies inducing immediate-type skin reactions, 489
Sera, horse, antibodies to pneumococcus nucleoprotein and their reaction with antigen, 77
—, horse, antibodies to rabbit serum albumin and their reaction with antigen, 83

Sera, horse, antibodies to rabbit serum globulin and their interaction with antigen, 95
Serum albumin, protective growth factor in bacteriological media, binding of fatty acids by, 215
—, effect upon hyaluronidase spreading activity, 19
Shock, hemorrhagic, renal effects of hemoglobin infusions, 477
Shope rabbit papilloma, superinfection by extraneous viruses, 131
Skin lymphatic capillaries and tissues, relative pressures within, 293
— reactions, immediate-type, induced by antibodies resulting from sensitization to chemical compounds, 489
Spreading factors, effect of serum upon hyaluronidase spreading activity, 19
Streptococcus pyogenes, oxygen-labile hemolysin, temporary resistance to lethal effect, 193
Sulfhydryl groups, effect on pneumonia virus of mice, 383
Sulfonamide chemotherapy, effect upon pulmonary lesion of Friedländer's bacillus pneumonia, 249
Susceptibility of infant *rhesus* monkeys to poliomyelitis virus administered by mouth, distribution of virus in tissues, 309

THROMBIN and fibrinogen, bovine, purified, study of fine structure of clots with electron microscope, 285
Tiselius electrophoretic technique, changes in plasma protein pattern of patients with hypertension and dogs with renal hypertension, 185
Tissue component, lung, combining with pneumonia virus of mice, 393
Tissues and cutaneous lymphatic capillaries, relative pressures within, 293
— of infant *rhesus* monkeys orally infected with poliomyelitis virus, distribution of virus in, 309
Toxic action of preparations containing oxygen-labile hemolysin of *Streptococcus pyogenes*, temporary resistance to, 193
Toxin, *Streptococcus pyogenes*, lethal effect, temporary resistance to, 193
Transmission of epidemic gastroenteritis to human volunteers by oral administration of fecal filtrates, 409
— of St. Louis encephalitis virus to chickens by infected mites *Dermanyssus gallinae*, resulting viremia as source of virus for infection of mites, 229
Tubercle bacilli, mammalian, grown in Tween-albumin liquid medium, infection of mice with, 159
— bacilli, mammalian, virulence and morphological characteristics, 175
Tuberculosis, pulmonary, enhancing effect of concurrent infection with pneumotropic viruses, 203
Tumor cells, normal cells, and cells with injuries, cytochondria of, 45
Tween-albumin liquid medium, infection of mice with mammalian tubercle bacilli grown in, 159

VIRAL particles, highly purified, of influenza A and B, amino acid composition, 125
Viremia resulting from transmission of St. Louis encephalitis virus to chickens by infected mites *Dermanyssus gallinae*, as source of virus for infection of mites, 229
Virulence and morphological characteristics of mammalian tubercle bacilli, 175

Virus hemagglutination, non-specific inhibition, 65
— infection, multiple, of single host cells, 145
—, influenza, mechanism of adaptation to mice, 357
—, influenza, multiplication, and hemagglutination, inhibition by polysaccharides, 55
—, influenza, strains from three epidemics compared, 367
—, pneumonia, of mice, effect of sulfhydryl groups, 383
—, pneumonia, of mice, lung tissue component combining with, 393
—, poliomyelitis, administered by mouth, susceptibility of infant *rhesus* monkeys, distribution of virus in tissues, 309
Virus, St. Louis encephalitis, transmission to chickens by infected mites *Dermanyssus gallinae*, resulting viremia as source of virus for infection of mites, 229
Viruses, extraneous, superinfection of Shope rabbit papilloma by, 131
—, influenza, one-step growth curves, demonstration through blocking effect of irradiated virus on further infection, 423
—, pneumotropic, enhancing effect of concurrent infection on pulmonary tuberculosis, 203